

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More...

Full Text View at Publisher

IOP Conference Series: Earth and Environmental Science
Volume 159, Issue 1, 14 June 2018, Article number 012016
2018 4th International Conference on Environment and Renewable Energy, ICERE 2018; Da Nang; Viet Nam; 25 February 2018 through 27 February 2018; Code 137447

Synergistic Studies on the Removal of Dyes by Waste (Metroxylon sagu) Based Activated Carbon: An Optimization Study (Conference Paper) (Open Access)

Amode, J.O.^a, Alam, M.Z.^b, Mirza, A.H.^a, Mei, C.C.^a, Santos, J.H.^a E-mail icon Profile icon

^aFaculty of Science, Universiti Brunei Darussalam, Jalan Tungku Link, Gadong, Brunei Darussalam, Brunei Darussalam
^bBioenvironmental Engineering Research Center (BERC), Faculty of Engineering, International Islamic University Malaysia (IIUM), Malaysia

Abstract

View references (15)

Physically activated carbon prepared from untreated (Metroxylon sagu) waste was used as adsorbents for the adsorption studies of methylene blue (MB) and gentian violet (GV) dye in aqueous solution. Response Surface Methodology (RSM) was employed to investigate the different operating parameters on the uptake of the dye molecule. The adsorbent before and after activation process were characterized to determine the specific surface area, iodine value, textural structure, and surface functional group. The results predicted using CCD model showed high values of regression coefficients R^2 (MB= 0.9944 and GV= 0.9845) indicating good agreement with experimental data. Characterization of PAC produced also showed that the activation conditions would find good-quality adsorbent with the highest BET surface area of 1423.5 m²/g, iodine value of 1275.2 mg/g and well-forming pores distribution. © Published under licence by IOP Publishing Ltd.

Indexed keywords

Engineering controlled terms: Activated carbon Adsorbents Aromatic compounds Chemical activation Iodine Solutions

Engineering uncontrolled terms: Activation conditions Activation process Adsorption studies Operating parameters Optimization studies Regression coefficient Response surface methodology Surface functional groups

Engineering main heading: Stripping (dyes)

Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
	Fondation Max van Berchem		
	International Islamic University Malaysia	IIUM	
	Universiti Brunei Darussalam	UBD	

Metrics ?

0	Citations in Scopus
0	Field-Weighted Citation Impact

PlumX Metrics Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

- Optimization process for producing mesopores activated carbon based on hevea brasiliensis seed coat using response surface methodology
Mohd, N.I. , Zainal, A.A. , Zakaria, M.A. (2012) *Advanced Materials Research*
- Comparative and optimization studies of adsorptive strengths of activated carbons produced from steam- and CO2-activation for BPOME treatment
Amosa, M.K. , Jami, M.S. , AlKhatib, M.F.R. (2014) *Advances in Environmental Biology*
- Preparation and characterization of activated carbon from acorn shell by physical activation with H2O-CO2 in two-step pretreatment
Şahin, O. , Saka, C. (2013) *Bioresource Technology*

Universiti Brunei Darussalam

UBD

Find more related documents in Scopus based on:

Authors > Keywords >

Funding text

The authors thank the Government of Brunei Darussalam and the Universiti Brunei Darussalam for the award of Graduate Research Scholarship (GRS) to JOA. The authors are grateful to the Bioenvironmental Engineering Research Center (BERC), Faculty of Engineering, International Islamic University Malaysia for providing the laboratory facilities as well as BERC students Mohammed Nurudeen Shola and Dr. Munirat Idris for their support in the laboratory work.

ISSN: 17551307

DOI: 10.1088/1755-1315/159/1/012016

Source Type: Conference Proceeding

Document Type: Conference Paper

Original language: English

Sponsors:

Publisher: Institute of Physics Publishing

References (15)

View in search results format >

☐ All ☐ Export ☐ Print ☐ E-mail ☐ Save to PDF ☐ Create bibliography

- ☐ 1 Métivier-Pignon, H., Faur-Brasquet, C., Le Cloirec, P.
Adsorption of dyes onto activated carbon cloths: Approach of adsorption mechanisms and coupling of ACC with ultrafiltration to treat coloured wastewaters

(2003) *Separation and Purification Technology*, 31 (1), pp. 3-11. Cited 104 times.
doi: 10.1016/S1383-5866(02)00147-8

View at Publisher

- ☐ 2 Mona, S., Kaushik, A., Kaushik, C.P.
Waste biomass of Nostoc linckia as adsorbent of crystal violet dye: Optimization based on statistical model

(2011) *International Biodeterioration and Biodegradation*, 65 (3), pp. 513-521. Cited 31 times.
doi: 10.1016/j.ibiod.2011.02.002

View at Publisher

- ☐ 3 El-Hendawy, A.-N.A., Samra, S.E., Girgis, B.S.
Adsorption characteristics of activated carbons obtained from corncobs

(2001) *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 180 (3), pp. 209-221. Cited 162 times.
www.elsevier.com/locate/colsurfa
doi: 10.1016/S0927-7757(00)00682-8

View at Publisher

- ☐ 4 Şahin, O., Saka, C.
Preparation and characterization of activated carbon from acorn shell by physical activation with H₂O-CO₂ in two-step pretreatment

(2013) *Bioresource Technology*, 136, pp. 163-168. Cited 42 times.
www.elsevier.com/locate/biortech
doi: 10.1016/j.biortech.2013.02.074

View at Publisher